

## Medical Application Based on Supra Molecular Self-Assembly

Marjan Assefi<sup>1\*</sup>, Vahid Omarmeli<sup>2</sup>, Nadeem Kizilbash<sup>3</sup>, Sohila Nankali<sup>4</sup>, Nankali A<sup>5</sup> and Mitra Rezaee<sup>6</sup>

<sup>1</sup>University of North Carolina Greensboro, Joint School of Nanoscience and Nano Engineering, North Carolina, USA

<sup>2</sup>Biology Department, College of Bioscience, Islamic Azad University, Iran

<sup>3</sup>Department of Medical Laboratory Technology, Faculty of Applied Medical Sciences, Northern Border University, Arar-91431, Saudi Arabia

<sup>4</sup>Northcentral University, Sandiego, CA, USA

<sup>5</sup>Kermanshah University of medical Sciences, Kermanshah, Iran

<sup>6</sup>Assistant Professor, Razi University of Kermanshah, Iran

### ABSTRACT

Polyphenol, described by different phenolic rings in the synthetic design and an overflow in nature, can be extricated from vegetables, grains, chocolates, organic products, tea, vegetables, and seeds, among different sources. Tannic Acid (TA), an old-style polyphenol with a particular compound design, has been broadly utilized in biomedicine due to its exceptional biocompatibility and antibacterial and cell reinforcement properties. TA has tunable collaborations with different materials that are generally appropriated in the body.

### \*Corresponding author

Marjan Assefi, University of North Carolina at Greensboro, Joint School of Nanoscience and Nano Engineering, North Carolina, USA.  
 E-mail: massefi@aggies.ncat.edu

**Received:** November 11, 2022; **Accepted:** November 16, 2022; **Published:** November 26, 2022

**Keywords:** Polyphenol, Synthetic, Tannic Acid, Biocompatibility, Antibacterial

### Introduction

Supramolecular assembly originated from Lehn's work in 1987. It is a process that involves the formation of nanostructures by covalent and non-covalent intermolecular interactions which includes van der Waals forces, hydrophobic interactions, and hydrogen bonds [1].

Supramolecular assembly origins are from biological systems, it is also widely used in biomedical (Aires, 2020). Supramolecular assembly involves different functions in biological systems such as molecular transport and release, environmental demarcation, and cell-extracellular communication and interactions [2]. Different scientists have been inspired by the and have developed various biomaterials such as coating films that are used for the treatment and diagnosis of diseases, hydrogels, and hollow capsules, and nanoparticles [3].

Supramolecular materials incorporate monodisperse atoms and complex sub-atomic totals (particles, micelles). Supramolecular gathering can create thermodynamically or progressively stable nanostructures as well as precisely control symptomatic/helpful parts and improve reaction qualities to physiological pointers,

which is extremely appealing in science and medication. In light of their one-of-a-kind sources, the main qualities of polyphenols are their natural exercises, like mitigating, anticancer, antibacterial, and antioxidative activities, which stand out among specialists in the field of biomedicine [4]. Concerning synthetic design, polyphenol compounds likewise show rich synthetic movement because of their different hydrophobic sweet-smelling rings and hydrophilic phenolic hydroxyls gatherings, which give bountiful response locales that can connect with different gatherings or substances through different non-covalent cooperations dynamic covalent restricting, and metal-natural coordination collaborations [5-8].

### Overview of Supramolecular Assembly

With the inside and out comprehension of molecular chemistry in light of chemical bonds, it has been found that customary particles cannot play out specific explicit, high level, or complex capacities, however, need a coordinated multimolecular framework to helpfully work.

Self-assembly together is a significant technique for the combination of supramolecular communications [9-11]. Because of explicit sub-atomic acknowledgment modes, self-gathering is a cycle by which particles or other get-together components suddenly structure requested structures employing

frail connections [12-14]. The development and utilization of self-gathering have extraordinarily worked on the productivity of building complex host particles. As per essential exploration, a close ideal arrangement of supramolecular get together has arisen. Early investigations of atomic compartments have zeroed in on carcerands and hemicarcerands, yet the union of these particles is complicated, and it isn't difficult to deliver visitor atoms [15-17]. Consequently, researchers certainly stand out in reversible supramolecular cases, which are self-collected by generally basic monomer particles through powerless non-covalent communications between atoms. Consequently, the sorts of cases accessible are not many so far, and essential exploration continues; accordingly, quite a while is required for its industrialization and business application [18-20].

During the 1990s, Fujita revealed a new nanoscale metal-reinforced sub-atomic enclosure in light of PdL2-based building blocks. With the improvement of supramolecular get-together, atomic enclosures have drawn interest and consideration as a result of their remarkable underlying qualities and wide scope of expected applications [1, 2, 19]. A rising number of metal-reinforced self-collected atomic enclosures, covalently fortified sub-atomic enclosures, and other self-assembled sub-atomic enclosures have been orchestrated [21-23]. From one perspective, collapsed atoms assume an essential part in mimicking the design of biopolymers, as most would consider being normal to give hypothetical and logical bases to the amalgamation of proteins; then again, collapsed particles can frame a winding construction with nanocavities or another kind of natural nanotubes by self-get together [24-26]. They have possible applications in atomic acknowledgment, particle channels, sub-atomic catalysis, and nanoreactors, among others. Lately, different sorts of oligomers have been integrated.

### Self-Assembly Principle of TA

Self-assembled, because of non-covalent communications, are alluring medication transporters with moderately basic construction and simple arrangement [27-28]. Critically, we exhibit the effect of medication transporter connections, contemplated using infrared spectroscopy and subatomic displaying [29-31]. Notwithstanding, all buildings separated upon medium fermentation, delivering their medication payload and showing anticipated antibacterial impact. These outcomes exhibit that TA/anti-infection self-gathered buildings address a magnificent transporter for the pH-delicate conveyance of water-solvent medications [32-34]. Notwithstanding the framework's effortlessness and minimal expense, edifices were effectively ready with high medication stacking and a positive pH-subordinate affiliation/separation profile.

### Dynamic Covalent Assembly

It incorporates the qualities of covalent security and non-covalent security, supplying it with unique highlights [35-37]. They are framed and fragmented reversibly, like non-covalent bonds, though they can be pretty much areas of strength as sturdy as covalent bonds under various circumstances [38-40]. As of late, because unique covalent connections join the vigor of "old style" covalent bonds with the average adaptability of non-covalent communications speeding up the advancement of multifaceted nanostructures, expanding consideration has been centered around supramolecular science [41-43]. Notwithstanding a few constraints in the solidness and material choice of the supramolecular assembly cycle because of a solitary connection, the helpful gathering assembly of different collaborations can take care of the above issues.

### Advantages of TA Self-Assembly in Medical Applications

Peptides and peptide forms, including regular and engineered fabricating blocks, are an inexorably famous class of biomaterials [44-46]. Self-collected nanostructures are given peptides and peptide forms offer benefits, for example, exact selectivity and multifunctionality that can address difficulties and restrictions in the facility [47-49]. The examinations where nano assembly is driven by the cooperations between the forms of peptide forms are then introduced. Specific accentuation is given to in vivo examinations zeroing in on therapeutics, diagnostics, safety regulation, and regenerative medication, and difficulties and future points of view are introduced.

### Self-Assembly System and Application of TA

#### Hydrogels

Hydrogel frameworks have acquired enormous ubiquity given their remarkable and tunable properties. The serious level of bio-similarity has prompted their far and wide application in the clinical business. One normal application is its utilization in the dissemination of controlled drug conveyance frameworks [50-52]. Hydrogels give controlled conveyance of drug drugs which ends up being more productive and compelling than existing medication conveyance procedures. Controlled drug conveyance requires itemized comprehension of transport properties of medication atoms in the hydrogel.

A hydrogel is a jam-like material made of an organization of polymer chains fit for engrossing a lot of water; enough to cause water to comprise 40 to 90% of the material's weight [53-55].

Hydrogels have various applications yet among their most essential are those connected with the clinical field.1 numerous hydrogel display a serious level of biocompatibility, making them especially reasonable for controlled and supported discharge drug formulations.1, 2 the wide assortment of hydrogels accessible likewise adds to an incredible variety by the way they can be utilized in this specialty application [56-58]. Notwithstanding their biocompatibility and hydrophilicity, numerous hydrogels are additionally biodegradable.

#### Nanoparticles/Microparticles

Nanoparticles are materials within general aspects less than 100 nanometers, they are otherwise called zero-layered materials [59-61]. These particles vary from other nanomaterials because every one of their aspects is on the nanoscale, connected to one layered or two-layered nanomaterials which have a couple of aspects more noteworthy than a nanoscale. Nanoparticles have astonishing applications in medication pushing the limits of what we can achieve in regions like clinical imaging and medication and quality conveyance [62, 63]. Nanoparticles are supplanting regular natural colors used to color tissue and cells for envisioning with quantum dots [64-66].

The utilization of nanoparticles as restorative medication specialists has earned a lot of revenue for their utilization in the treatment of sickness, as well as in vitro and in vivo diagnostics [67-69]. The fascination with nanoparticles for use in medication originates from their remarkable attributes, for example, their enormous surface to mass proportion, quantum properties, and their huge utilitarian surface, which can go about as compound safeguards and transporters for mixtures like medications, and tests and proteins [26].

## Hollow Capsules

They are manufactured through LbL gathering of polymers involve an ultrathin porous shell that takes part in different sorts of collaborations and microsized cavities that store medications or dynamic particles. (Aires, 2020) [70-72]. The shells can set off the arrival of stacked particles to safeguard the heap from outside pressure and consequently expand the hour of delivery [73-75].


The underlying related research has centered around the get-together of metal synchronization cases, and the designing of metal-explicit capacities for container configuration is seldom investigated.

## Coating Films

The self-assembly of polymers is an arising new field inside material sciences, offering numerous possible applications in nanotechnological and nanobiotechnological fields. Corresponding to self-get together, elastin goes through a self-collection process right at home [76-78]. It is delivered from a water dissolvable forerunner, tropoelastin, which unexpectedly totals into a covalently cross-connected fibrillar polymeric structure. oneself collecting capacity of elastin lives in specific generally short amino-corrosive groupings, as has been proposed by Yang et al. chipping away at recombinant ELPs [79-81]. The inclination to self-collect in nanofiber conformity of ELPs can be stretched out to different geographies and nanostructural features [82-84]. With the expected managed by hereditary designing in planning new polymers, the developing comprehension of the sub-atomic way of behaving of ELPs, and the colossal abundance of trial and hypothetical foundation acquired during the previous 10 years on oneself gathering qualities of various kinds of square co-polymers, novel self-get together properties are being disclosed inside the ELP family [85-88].

## Appendix A

### Metal Ion-Chelated Tannic Acid Coating for Hemostatic Dressing



## References

1. Chen W, Cheng Y, Wang B (2012) Dual-responsive Boronate Crosslinked micelles for targeted drug delivery. *Chem Inform* 51: 5293-5295.
2. Chavan U (2018) Phenolic antioxidants and health benefits. Scientific Publishers. [https://www.researchgate.net/publication/326209017\\_Phenolic\\_Antioxidants\\_and\\_Health\\_Benefits](https://www.researchgate.net/publication/326209017_Phenolic_Antioxidants_and_Health_Benefits).
3. Dodziuk H (2007) Introduction to Supramolecular chemistry. Springer Science & Business Media <https://link.springer.com/book/10.1007/0-306-47587-1>.
4. Lyte M (2015) Microbial endocrinology: Interkingdom signaling in infectious disease and health. Springer <https://link.springer.com/book/10.1007/978-3-319-20215-0>.
5. Abadie MJ, Pinteala M, Rotaru A (2021) New trends in macromolecular and Supramolecular chemistry for biological applications. Springer Nature <https://link.springer.com/book/10.1007/978-3-030-57456-7>.
6. Adatoz EB, Hendessi S, Ow-Yang CW, Demirel AL (2018) Restructuring of poly (2-Ethyl-2-oxazoline)/tannic acid multilayers into fibers. *Soft Matter* 14: 3849-3857.
7. Such GK, Johnston AP, Caruso F (2011) ChemInform abstract: Engineered hydrogen-bonded polymer Multilayers: From assembly to biomedical applications. *ChemInform*, 42 <https://onlinelibrary.wiley.com/doi/10.1002/chin.201115262>.
8. Alford A, Rich M, Kozlovskaya V, Chen J, Sherwood J, et al. (2018) Multilayer microcapsules: Ultrasound-triggered delivery of Anticancer therapeutics from MRI-visible Multilayer microcapsules (*Adv. Therapy*. 5/2018). *Advanced Therapeutics* 1: 1870018.
9. Aoki K, Shinke R, Nishira H (1981) Formation of tannic acid-protein complex on polyacrylamide gels and its application to electrophoretic technique. *Agricultural and Biological Chemistry* 45: 121-127.
10. Aoki K, Shinke R, Nishira H (1981) Formation of the tannic acid-protein complex on polyacrylamide gels and its application to electrophoretic technique. *Agricultural and Biological Chemistry* 45: 121-127.
11. Appella DH, Christianson LA, Karle IL, Powell DR, Gellman SH (1996)  $\beta$ -peptide Foldamers: robust helix formation in a new family of  $\beta$ -amino acid Oligomers. *Journal of the American Chemical Society* 118: 13071-13072.
12. Ariga K, Ahn E, Park M, Kim B (2019) Layer-by-layer assembly: Recent progress from layered assemblies to layered Nanoarchitectonics. *Chemistry – An Asian Journal* 14: 2553-2566.
13. Ariga K, Ebara M (2018) undefined. John Wiley & Sons.
14. Artificial molecular machine based on DNA (2017) Concepts for Molecular Machines. [https://www.worldscientific.com/doi/abs/10.1142/9789813223714\\_0005](https://www.worldscientific.com/doi/abs/10.1142/9789813223714_0005).
15. Bag E, Begik O, Yusan P, Erel Goktepe I (2015) Hydrogen-bonded Multilayers with controllable pH-induced disintegration kinetics for controlled release applications from surfaces. *Journal of Macromolecular Science* 52: 286-298.
16. Bai S, Zhang X, Cai P, Huang X, Huang Y, et al. (2019) A silk-based sealant with tough adhesion for instant hemostasis of bleeding tissues. *Nanoscale Horizons* 4: 1333-1341.
17. Bai S, Zhang X, Lv X, Zhang M, Huang X, et al. (2019) Bioinspired mineral-organic bone adhesives for stable fracture fixation and accelerated bone regeneration. *Advanced Functional Materials* 30: 1908381.
18. Björnalm M, Wong LM, Wojciechowski J, Penders J, Horgan C, et al. (2019) In vivo Biocompatibility and immunogenicity of metal-phenolic gelation. <https://>

- chemrxiv.org/engage/apigateway/chemrxiv/assets/orp/resource/item/60c742d1842e652531db2115/original/in-vivo-biocompatibility-and-immunogenicity-of-metal-phenolic-gelation.pdf.
19. Cassier T, Lowack K, Decher G (1998) Layer-by-layer assembled protein/polymer hybrid films: Nanoconstruction via specific recognition. *Supramolecular Science* 5: 309-315.
  20. Chung K, Stevens Edward, Lin W, Wei CI (1993) Growth inhibition of selected food-borne bacteria by tannic acid, propyl gallate and related compounds. *Letters in Applied Microbiology* 17: 29-32.
  21. Chung K, Lu Z, Chou M (1998) Mechanism of inhibition of tannic acid and related compounds on the growth of intestinal bacteria. *Food and Chemical Toxicology* 36: 1053-1060.
  22. Cochin D, Laschewsky A (1999) Layer-by-layer self-assembly of hydrophobically modified polyelectrolytes. *Macromolecular Chemistry and Physics* 200: 609-615.
  23. Corvis Y, Fenniri H, Lee T, Lepeltier E, Shen J, et al. (2020) Supramolecular nanomaterials for engineering, drug delivery, and medical applications. *Frontiers Media SA* <https://www.frontiersin.org/articles/10.3389/fchem.2020.626468/full>.
  24. Costa E, Coelho M, Ilharco LM, Aguiar-Ricardo A, Hammond PT (2011) Tannic acid-mediated suppression of PNIPA Am Microgels Thermo responsive behavior. *Macromolecules* 44: 612-621.
  25. Cragg PJ (2010) *Supramolecular chemistry: From biological inspiration to biomedical applications*. Springer Science & Business Media <https://link.springer.com/book/10.1007/978-90-481-2582-1>.
  26. Decher G, Hong J (1991) The buildup of ultrathin multilayer films by a self-assembly process, I consecutive adsorption of anionic and cationic bipolar amphiphiles on charged surfaces. *Makromolekulare Chemie. Macromolecular Symposia* 46: 321-327.
  27. Decher G, Hong JD (1991) The buildup of Ultrathin Multilayer films by a self-assembly process: II. Consecutive adsorption of anionic and cationic bipolar Amphiphiles and Polyelectrolytes on charged surfaces. *Reports of the Bunsen Society for Physical Chemistry* 95: 1430-1434.
  28. Dietrich Buchecker C, Sauvage J, Kintzinger J (1983) Une nouvelle famille de molecules Les metallo-catenanes. *Tetrahedron Letters* 24: 5095-5098.
  29. Dodziuk H (2007) *Introduction to Supramolecular chemistry*. Springer Science & Business Media <https://link.springer.com/book/10.1007/0-306-47587-1>.
  30. Durán N, Guterres SS, Alves OL (2013) undefined. Springer Science & Business Media <https://link.springer.com/book/10.1007/978-1-4614-8993-1>.
  31. Fabbrizzi L, Poggi A (2013) undefined. Springer Science & Business Media <https://pubs.rsc.org/en/content/articlelanding/2013/cs/c2cs35290g>.
  32. Fouquey C, Lehn J, Levelut A (1990) Molecular recognition directed self-assembly of supramolecular liquid crystalline polymers from complementary chiral components. *AdvancedMaterials* 2: 254-257.
  33. Giuseppone N, Walther A (2021) *Out-of-Equilibrium (Supra) molecular systems and materials*. John Wiley & Sons [https://application.wiley-vch.de/books/sample/3527346155\\_c01.pdf](https://application.wiley-vch.de/books/sample/3527346155_c01.pdf).
  34. Govindaraju T, Ariga K (2021) *Molecular architectonics and Nanoarchitectonics*. Springer Nature <https://link.springer.com/book/10.1007/978-981-16-4189-3>.
  35. Goyanes SN, D Accorso NB (2017) *Industrial applications of renewable biomass products: Past, present and future*. Springer DOI:10.1007/978-3-319-61288-1.
  36. Gross GG, Hemingway RW, Yoshida T (2012) *Plant polyphenols 2: Chemistry, biology, pharmacology, ecology*. Springer Science & Business Media <https://www.nhbs.com/plant-polyphenols-2-book>.
  37. Grüll H, Langereis S (2012) Hyperthermia-triggered drug delivery from temperature-sensitive liposomes using MRI-guided high intensity focused ultrasound. *Journal of Controlled Release* 161: 317-327.
  38. Gu X, Wang J, Wang Y, Wang Y, Gao H, et al. (2013) Layer-by-layer assembled polyaspartamide nanocapsules for pH-responsive protein delivery. *Colloids and Surfaces B: Biointerfaces* 108: 205-211.
  39. Gulik-Krzywicki T, Fouquey C, Lehn J (1993) Electron microscopic study of supramolecular liquid crystalline polymers formed by molecular-recognition-directed self-assembly from complementary chiral components. *Proceedings of the National Academy of Sciences* 90: 163-167.
  40. Habibi N, Caneva Soumetz F, Pastorino L, Herrera O, Ruggiero C (2010) Layer by layer self assembly of Polyelectrolytes and S-layers. 10th IEEE International Conference on Nanotechnology. DOI:10.1109/NANO.2010.5697853.
  41. Hendessi S, Tatar Güner P, Miko A, Demirel AL (2017) Hydrogen bonded multilayers of poly (2-Ethyl-2-oxazoline) stabilized silver nanoparticles and tannic acid. *European Polymer Journal* 88: 666-678.
  42. Horne W, Price J, Keck J, Gellman S (2007) Helix bundle Quaternary structure from Alpha/beta-peptide Foldamers: GCN4-phi with beta-residues at B and F heptad positions. *J. Am Chem Soc* 129: 4178-4180.
  43. Irvine J, Roberts S, Lindberg I (1990) Electrophoretic analysis of proteinases in sodium dodecyl sulfate-polyacrylamide gels containing copolymerized radiolabeled protein substrates: Application to proenkephalin processing enzymes. *Analytical Biochemistry* 190: 141-146.
  44. Ji T, Wang H, Han K (2021) supramolecular assembly-based functional Nanostructures for biomedical applications. *Front Chem* 8: 637926.
  45. Kim J, Alle M, Husen A (2021) *Smart nanomaterials in biomedical applications*. Springer Nature <https://link.springer.com/book/10.1007/978-3-030-84262-8>.
  46. Kubik S (2020) *Supramolecular chemistry: From concepts to applications*. Walter de Gruyter GmbH&CoKG <https://www.degruyter.com/document/doi/10.1515/9783110595611/html?lang=en>.
  47. Kumar S, Acharya R, Chatterji U, De P (2013) Side-chain amino-acid-Based pH-responsive self-assembled block copolymers for drug delivery and gene transfer. *Langmuir* 29: 15375-15385.
  48. Lanigan NF (2019) Bulk Supramolecular polymerization via “weak” hydrogen bonds and aromatic interactions: Recognizing the potential of metal coordination geometry <http://hdl.handle.net/10012/14422>.
  49. Lehn J, Mascal M, Decian A, Fischer J (1990) Molecular recognition directed self-assembly of ordered supramolecular strands by cocrystallization of complementary molecular components. *Journal of the Chemical Society, Chemical Communications*. <https://pubs.rsc.org/en/content/articlelanding/1990/C3/c39900000479>.
  50. Leszczynski J (2002) *From molecules to Supermolecules: A theoretical approach. Strength from Weakness: Structural Consequences of Weak Interactions in Molecules, Supermolecules, and Crystals* 68: 293-317.

51. Liu Y, Mao S, Zhu L, Chen, S, Wu C (2021) Based on tannic acid and thermoresponsive microgels design a simple and high-efficiency multifunctional antibacterial coating. *European Polymer Journal* 153: 110498.
52. Lyte M (2015) Microbial endocrinology: Interkingdom signaling in infectious disease and health. Springer <https://link.springer.com/book/10.1007/978-3-319-20215-0>.
53. Maes G (1991) Intermolecular interactions at low temperature. Matrix isolation spectroscopy applied to hydrogen-bonded complexes and charge transfer complexes. *Intermolecular Forces* 195-216.
54. Miller BL (2009) Dynamic combinatorial chemistry: In drug discovery, Bioorganic chemistry, and materials science. John Wiley & Sons <https://onlinelibrary.wiley.com/doi/book/10.1002/9780470551554>.
55. Ashton Acton Q (2013) Mucoproteins—Advances in research and application (13th ed.). ScholarlyEditions. [https://play.google.com/store/books/details/Mucoproteins\\_Advances\\_in\\_Research\\_and\\_Application\\_?id=ns6KbF5z5OMC&hl=am&gl=JP&pli=1](https://play.google.com/store/books/details/Mucoproteins_Advances_in_Research_and_Application_?id=ns6KbF5z5OMC&hl=am&gl=JP&pli=1).
56. Mulimani V (2001) Electrophoretic transfer technique to detect and identify amylases in polyacrylamide gels. *Biochemistry and Molecular Biology Education* 29: 250-254.
57. Müller B, Van de Voorde M (2017) Nanoscience and nanotechnology for human health. John Wiley & Sons DOI:10.1002/9783527692057.
58. Nakanishi T, Santhosh Babu Sukumaran, Hidehiko Asanuma (2011) Supramolecular soft matter: Applications in materials and organic electronics. John Wiley & Sons <https://onlinelibrary.wiley.com/doi/10.1002/9781118095331.ch1>.
59. Narain R (2011) Engineered carbohydrate-based materials for biomedical applications: Polymers, surfaces, Dendrimers, nanoparticles, and Hydrogels. John Wiley & Sons <https://www.wiley.com/en-us/+Carbohydrate+Based+Materials+for+Biomedical+Applications:+Polymers,+Surfaces,+Dendrimers,+Nanoparticles,+and+Hydrogels-p-9781118002247>.
60. Pfister M, Ringhand A, Fetsch C, Luxenhofer R (2018) Poly(2-Ethyl-2-oxazoline-co-N-propylEthylene imine)s by controlled partial reduction of poly(2-Ethyl-2-oxazoline) <https://chemrxiv.org/engage/chemrxiv/article-details/60c73d59f96a001e7e285d81>.
61. Pitt CG, Bao Y, Thompson J, Wani MC, Rosenkrantz H, et al. (1986) Esters and lactones of phenolic amino carboxylic acids. Prodrugs for iron chelation. *Journal of Medicinal Chemistry* 29: 1231-1237.
62. Pomerantz WC (2008) I Association behavior of achc-rich ss-peptide Foldamers: II. 19f nmr methods for monitoring [alpha]-peptide folding [https://www.researchgate.net/publication/252297775\\_I\\_Association\\_behavior\\_of\\_ACHC-rich\\_beta-peptide\\_foldamers\\_II\\_Fluorine19\\_NMR\\_methods\\_for\\_monitoring\\_alpha-peptide\\_folding](https://www.researchgate.net/publication/252297775_I_Association_behavior_of_ACHC-rich_beta-peptide_foldamers_II_Fluorine19_NMR_methods_for_monitoring_alpha-peptide_folding).
63. Popa L, Ghica MV, Dinu-Pirvu C (2019) Hydrogels: Smart materials for biomedical applications. *BoD – Books on Demand* <https://www.intechopen.com/books/8353>.
64. Qi W, Yan J (2018) Layered Nanoarchitectonics with layer-by-layer assembly strategy for biomedical applications. *Materials Nano architectonics* 141-154.
65. Romeo JT (2012) Phytochemicals in human health protection, nutrition, and plant defense. Springer Science & Business Media <https://link.springer.com/book/10.1007/978-1-4615-4689-4>.
66. Rotello V, Thayumanavan (2008) undefined. John Wiley & Sons.
67. Santos A, Pereira I, Ferreira C, Veiga F, Fakhrullin R (2019) Layer-by-layer assembly for Nanoarchitectonics. *Advanced Supra molecular Nano architectonics* 89-121.
68. Schneider H (2015) Chemoresponsive materials: Stimulation by chemical and biological signals. Royal Society of Chemistry. <https://searchworks.stanford.edu/view/11511064>.
69. Schubert U, Newkome GR, Winter A (2021) Supramolecular polymers and assemblies: From synthesis to properties and applications. John Wiley & Sons <https://www.wiley.com/en-us/+Polymers+and+Assemblies:+From+Synthesis+to+Properties+and+Applications-p-9783527832408>.
70. Schwarz JA, Contescu CI, Putyera K (2004) Dekker encyclopedia of Nanoscience and nanotechnology. CRC Press <https://www.amazon.in/Dekker-Encyclopedia-Nanoscience-Nanotechnology-Putyera/dp/0824750462>.
71. Steed JW, Atwood JL (2022) supramolecular chemistry. John Wiley & Sons <https://www.wiley.com/en-us/Supramolecular+Chemistry,+3rd+Edition-p-9781119582519>.
72. Stockwell B (2013) The quest for the cure: The science and stories behind the next generation of medicines. Columbia University Press <https://academic.oup.com/columbia-scholarship-online/book/21753>.
73. Such GK, Johnston AP, Caruso F (2011) ChemInform abstract: Engineered hydrogen-bonded polymer Multilayers: From assembly to biomedical applications. ChemInform <https://onlinelibrary.wiley.com/doi/10.1002/chin.201115262>.
74. Sugathan S, Pradeep NS, Abdulhameed S (2017) Bioresources and Bioprocess in biotechnology: <https://link.springer.com/book/10.1007/978-981-10-3573-9>.
75. Wang J, Bonnesen PV, Rangel E, Vallejo E, Sanchez-Castillo A, et al. (2016) Supra molecular polymerization of a prebiotic nucleoside provides insights into the creation of sequence-controlled polymers. *Sci Rep* 4: 18891.
76. Tabatabaei Rezaei SJ, Sarbaz L, Niknejad H (2016) Folate-decorated redox/pH dual-responsive degradable prodrug micelles for tumor triggered targeted drug delivery. *RSC Advances* 6: 62630-62639.
77. Tamulis A, Stumbrys E, Tamulis V, Tamulienė J (1996) Quantum mechanical investigations of photoactive molecules, Supermolecules, Supramolecules and design of basic elements of molecular computers. *Photoactive Organic Materials* [https://link.springer.com/chapter/10.1007/978-94-011-4056-0\\_31](https://link.springer.com/chapter/10.1007/978-94-011-4056-0_31).
78. Varsha Sharma, Gokul Paramasivam, Maarten Vergaelen Richard Hoogenboom, Anandhakumar Sundaramurthy (2021) Tannic acid-stabilized self-degrading temperature-sensitive poly(2npropyl-2-oxazoline)/Gellan gum capsules for lipase delivery. <https://pubs.acs.org/doi/pdf/10.1021/acsabm.1c00697>.
79. Upadhyay SK, Singh SP (2021) Bioprospecting of plant biodiversity for industrial molecules. John Wiley & Sons <https://onlinelibrary.wiley.com/doi/book/10.1002/9781119718017>.
80. Wong C, Moon K, Li Y (2010) Nano-bio- Electronic, Photonic and MEMS packaging. Springer Science & Business Media [https://link.springer.com/chapter/10.1007/978-1-4419-0040-1\\_2](https://link.springer.com/chapter/10.1007/978-1-4419-0040-1_2).
81. Wyler R, De Mendoza J, Rebek J (1993) A synthetic cavity assembles through self-complementary hydrogen bonds. *Angewandte Chemie International Edition in English* 32: 1699-1701.
82. Yaghi OM, Kalmutzki MJ, Diercks CS (2019) Introduction to reticular chemistry: Metal-organic frameworks and covalent organic frameworks. Wiley-VCH <https://onlinelibrary.wiley.com/doi/10.1002/anie.201906230>.
83. Yao H, Gan Q, Peng J, Huang S, Zhu M, et al. (2016) A stimuli-responsive biosensor of glucose on layer-by-layer

- films assembled through specific lectin-glycoenzyme recognition. *Sensors* 16: 563.
84. Yui N (2002) Supramolecular design for biological applications. CRC Press <https://www.taylorfrancis.com/books/edit/10.1201/9781420041187/supramolecular-design-biological-applications-nobuhiko-yui>.
85. Zhai L (2011) Layer-by-layer self-assembled Multilayer stimuli-responsive polymeric films. *Handbook of Stimuli-Responsive Materials* 165-190. <https://onlinelibrary.wiley.com/doi/10.1002/9783527633739.ch7>.
86. Zhang YY (1997) Self-assembly of Hydrophobically modified Polyelectrolytes on solid substrates in aqueous environments <https://www.proquest.com/openview/4d08e9d61c4ad433819957d666fbd285/1?cbl=18750&diss=y&pq-origsite=gscholar>.
87. Zhu L (2020) Supramolecular self-assembly of Discotic liquid crystalline LEGOs. *Polymers and Polymeric Composites: A Reference Series* 217-248.
88. Abouelmagd SA, Abd Ellah NH, Amen O, Abdelmoez A, Mohamed NG (2019) Self-assembled tannic acid complexes for pH-responsive delivery of antibiotics: Role of drug-carrier interactions. *International Journal of Pharmaceutics* 562: 76-85.

**Copyright:** ©2022 Marjan Assefi, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.