

## Muscle Physiology and Physical Therapy: Advancements in Treating Muscle Atrophy and Injury

Shivangi Chaughule

Jersey City, USA

### ABSTRACT

Muscle injuries are common across all age groups and activity levels, affecting movement, posture, and overall quality of life. This article explores the physiology of muscle fibers, mechanisms of muscle contraction, and the principles of muscle adaptation, including hypertrophy, atrophy, and neuromuscular plasticity. The phases of muscle injury repair—*inflammation, regeneration, and remodeling*—are discussed in detail, along with the various types of muscle injuries such as strains, contusions, cramps, and ruptures. We examine the root causes of muscle injuries, including overuse, trauma, and physiological imbalances. Additionally, the role of modern physical therapy techniques and advancements in rehabilitation technology are highlighted as essential components in optimizing muscle healing and recovery. Understanding these concepts is crucial for clinicians, physical therapists, and fitness professionals to develop targeted interventions that facilitate efficient recovery and prevent reinjury.

### \*Corresponding author

Shivangi Chaughule, Jersey City, USA.

**Received:** December 05, 2022; **Accepted:** December 12, 2022; **Published:** December 26, 2022

**Keywords:** Muscle Injuries, Muscle Physiology, Atrophy, Physical Therapy, Rehabilitation, Inflammation, Regeneration, Injury Prevention

### Introduction

Muscles are essential components of the human body, facilitating movement, maintaining posture, and contributing to overall metabolic health. Understanding the intricacies of muscle physiology is pivotal for advancing physical therapy interventions aimed at treating muscle atrophy and injury. Muscle atrophy—the loss of muscle mass and strength—can result from prolonged immobility, aging, neurological conditions, or systemic diseases. Similarly, muscle injuries, whether caused by acute trauma or chronic overuse, can impair function and quality of life, necessitating comprehensive rehabilitation strategies.

In recent years, advancements in exercise science, biomechanics, and rehabilitation technology have revolutionized the way physical therapists address these muscle-related conditions. Modern interventions now integrate a deeper understanding of muscle fiber types, the mechanisms of hypertrophy and atrophy, and the processes involved in muscle repair and regeneration. These scientific insights allow for more personalized, effective treatments that go beyond conventional strength training to include techniques like neuromuscular re-education, progressive resistance exercises, electrical stimulation, and innovative modalities such as blood flow restriction (BFR) therapy.

The significance of muscle physiology extends to various patient populations, including athletes recovering from sports injuries, older adults combating sarcopenia (age-related muscle loss), and individuals rehabilitating from surgeries or neurological conditions like stroke and Guillain-Barré syndrome. In these contexts, physical therapists play a critical role in developing

evidence-based programs that promote muscle recovery, prevent atrophy, and optimize functional outcomes.

Advances in technology, such as wearable sensors, motion analysis systems, and remote therapeutic monitoring (RTM), are providing real-time data to track muscle performance and guide rehabilitation. These innovations allow for more precise assessments, immediate feedback, and tailored exercise prescriptions that can accelerate recovery and improve long-term results. Additionally, research into molecular and cellular pathways involved in muscle repair is paving the way for novel therapies that may enhance or complement traditional physical therapy techniques.

This article explores the latest advancements in the understanding of muscle physiology and their applications in physical therapy. By examining cutting-edge approaches to treating muscle atrophy and injury, we aim to highlight how scientific progress is transforming rehabilitation practices and improving patient outcomes. From the role of strength training protocols to the integration of technology and innovative therapies, these developments are empowering physical therapists to deliver more effective, individualized care.

Muscle physiology is the study of how muscles function, grow, repair, and respond to various stimuli. It forms the foundation for understanding movement, strength, endurance, and recovery, all of which are crucial in physical therapy and rehabilitation. There are three main types of muscles in the human body: skeletal, cardiac, and smooth muscles. This discussion will primarily focus on skeletal muscles since they are directly involved in voluntary movement and are the primary focus of physical therapy.

### Muscle Physiology

#### Types of Muscle Fibers

Skeletal muscle is one of the most dynamic and plastic tissues of the

human body. In humans, skeletal muscle comprises approximately 40 % of total body weight and contains 50–75 % of all body proteins [1]. Skeletal muscle can also generate heat, important for thermoregulation in cold temperatures [2]. Skeletal muscle is a structurally and functionally remarkable tissue composed of multinucleated post-mitotic muscle fibers. These fibers are filled with an exquisite, near crystalline array of assembled contractile proteins, capable of coupling ATP utilization to mechanical muscle contraction [3]. Skeletal muscles are made up of different types of fibers, each suited to specific types of activity:

#### Type I (Slow-Twitch) Fibers

- These fibers are highly resistant to fatigue and are designed for endurance activities (e.g., long-distance running, maintaining posture).
- They rely on aerobic metabolism (using oxygen) and have a high density of mitochondria and capillaries.
- Smaller in diameter, they contract more slowly and produce less force.

#### Type II (Fast-Twitch) Fibers:

##### Subtypes

- **Type IIa** (Fast Oxidative-Glycolytic Fibers): These fibers are versatile, capable of both aerobic and anaerobic metabolism. They are used for activities that require both strength and endurance (e.g., middle-distance running).
- **Type IIx** (Fast Glycolytic Fibers): These fibers rely primarily on anaerobic metabolism and are designed for short bursts of explosive power (e.g., sprinting, weightlifting).
- Larger in diameter, they contract rapidly and generate more force but fatigue more quickly.

The proportion of fiber types in a muscle varies based on genetics and can adapt to specific training regimens through muscle plasticity. Skeletal muscles are composed of thousands of individual muscle fibers bundled together by connective tissue. The key structural components include:

- **Muscle Fiber (Muscle Cell):** Long, cylindrical cells containing multiple nuclei and specialized contractile proteins.
- **Myofibrils:** Cylindrical structures within each muscle fiber containing repeating units called sarcomeres.

**Sarcomeres:** The basic functional unit of muscle contraction, consisting of:

- **Actin (Thin Filaments):** Filaments that interact with myosin to produce contraction.
- **Myosin (Thick Filaments):** Motor proteins that generate force by pulling on actin filaments.
- **Z-lines:** Mark the boundaries of each sarcomere and anchor the actin filaments.
- **A-band, I-band, H-zone, and M-line:** Regions within the sarcomere that change length during contraction.

#### Connective Tissue Layers:

- **Endomysium:** Surrounds individual muscle fibers.
- **Perimysium:** Bundles groups of fibers into fascicles.
- **Epimysium:** Encloses the entire muscle.

#### Mechanism of Muscle Contraction: Sliding Filament Theory

The mechanism of muscle contraction involves a series of highly coordinated events that occur at the molecular, cellular, and systemic levels. This process is primarily described by the sliding filament theory, which explains how actin and myosin filaments interact to produce contraction.

#### Anatomy of a Muscle Fiber

- **Sarcomere:** The functional unit of muscle contraction, located between two Z-lines.
- **Actin (thin filaments):** Composed of actin molecules, tropomyosin, and troponin.
- **Myosin (thick filaments):** Composed of myosin molecules with protruding heads (cross-bridges) that interact with actin.
- **T-tubules and Sarcoplasmic Reticulum (SR):** Key structures for transmitting electrical signals and storing calcium ions.

#### Neural Activation

##### Neuromuscular Junction

- A motor neuron releases acetylcholine (ACh) into the synaptic cleft.
- ACh binds to receptors on the sarcolemma (muscle cell membrane), triggering an action potential.

##### Propagation of Action Potential

- The action potential travels along the sarcolemma and down T-tubules.
- This depolarization signals the sarcoplasmic reticulum to release calcium ions ( $\text{Ca}^{2+}$ ).

##### Calcium Release and Role

- Calcium ions bind to the troponin complex on actin filaments.
- This causes a conformational change in tropomyosin, exposing the active binding sites on actin.

##### Cross-Bridge Cycle (Sliding Filament Mechanism)

###### a. Cross-Bridge Formation

- Myosin heads, energized by ATP hydrolysis, bind to the exposed active sites on actin.

###### b. Power Stroke

- The myosin head pivots, pulling the actin filament toward the M-line (center of the sarcomere).
- ADP and inorganic phosphate (Pi) are released.

###### c. Detachment

- A new ATP molecule binds to the myosin head, causing it to detach from actin.

###### d. Reactivation

- ATP is hydrolyzed by myosin ATPase into ADP and Pi.
- The myosin head re-cocks into its high-energy conformation, ready for another cycle.

This cycle repeats as long as calcium and ATP are available.

##### Sarcomere Shortening

Repeated cross-bridge cycling shortens the sarcomere, causing muscle contraction.

The filaments **do not shorten themselves** but slide past each other:

- **I-band** and **H-zone** become narrower.
- **A-band** remains the same length.

##### Relaxation

- Neural stimulation ceases, halting ACh release.
- ACh is broken down by acetylcholinesterase.
- Calcium ions are actively pumped back into the sarcoplasmic reticulum using ATP-dependent pumps.
- Tropomyosin re-covers the active sites on actin, preventing myosin binding.
- The muscle fiber returns to its resting state.

##### Energy Sources for Muscle Contraction

- **ATP:** Immediate source of energy.
- **Creatine Phosphate:** Rapidly regenerates ATP.

- **Glycolysis and Oxidative Phosphorylation:** Sustain contraction during prolonged activity.

### Regulation of Muscle Contraction

- **Motor Unit Recruitment:** Activation of more motor units increases the force of contraction.
- **Frequency of Stimulation:** High-frequency stimulation can lead to tetanus (sustained contraction).
- **Muscle Fiber Type:**

**Type I:** Slow-twitch, endurance activities.

**Type II:** Fast-twitch, powerful and quick activities.

### Muscle Adaptation and Plasticity

Muscles exhibit remarkable plasticity, adapting to various stimuli, including exercise, injury, and disuse:

- **Hypertrophy:** An increase in muscle fiber size due to strength training, characterized by:
  - Increased myofibril number and size.
  - Enhanced protein synthesis (actin and myosin).
- **Atrophy:** A decrease in muscle fiber size caused by disuse, immobilization, or aging, leading to:
  - Loss of contractile proteins.
  - Decreased strength and function.
- **Hyperplasia:** A potential increase in the number of muscle fibers, though less common in humans compared to hypertrophy.
- **Neuromuscular Adaptations:** Improvements in coordination, motor unit recruitment, and firing rates that occur with resistance training.

### Muscle Injury and Repair

Muscle injury can occur due to strain, trauma, or overuse. The repair process involves:

- **Inflammation Phase:** Inflammatory cells remove damaged tissue.
- **Regeneration Phase:** Activation of satellite cells (muscle stem cells) that proliferate and differentiate to repair fibers.
- **Remodeling Phase:** Formation of new contractile proteins and restoration of muscle function.

### What are the Types of Muscle Injuries?

Muscle injuries are common in both athletic and everyday activities. They occur when muscles are overstretched, overloaded, or impacted by sudden forces. Here's a comprehensive look at the types, causes, symptoms, healing process, and treatment of muscle injuries.

### Types of Muscle Injuries

**Muscle Strain (Pull or Tear)-** A strain occurs when muscle fibers are overstretched or torn.

- **Grade I (Mild):** Few fibers are damaged. Minor pain and minimal loss of function.
- **Grade II (Moderate):** Partial tear of the muscle. Noticeable pain, swelling, and reduced function.
- **Grade III (Severe):** Complete tear or rupture. Severe pain, swelling, and inability to use the muscle.
- **Common Locations:** Hamstrings, quadriceps, calf muscles, and lower back.

**Muscle Contusion (Bruise)-** Caused by a direct impact or blow, leading to damage and bleeding within the muscle.

- Pain, swelling, bruising (discoloration), and reduced movement.
- **Common Locations:** Thighs (quadriceps), upper arms (biceps), and calves. Muscle contusion is second only to strain as the leading cause of morbidity from sports-related injuries [4].

### Muscle Cramp or Spasm-

- Involuntary, forceful muscle contraction.
- Dehydration, electrolyte imbalances, fatigue, and poor conditioning can be the reasons for it.
- Sudden tightness, sharp pain, and temporary loss of function.

### Delayed-Onset Muscle Soreness (DOMS)

- Muscle pain and stiffness occurring 24-72 hours after intense exercise or unfamiliar activity.
- Microtears in muscle fibers due to eccentric movements (lengthening under load).
- A person may experience Aching, stiffness, and tenderness.

### Muscle Rupture

- A complete tear or separation of the muscle fibers.
- Achilles tendon, rotator cuff, biceps tendon are the common locations for ruptures.
- Patient may experience Sudden sharp pain, swelling, bruising, and a noticeable gap or bulge.

### Myositis Ossificans

- Myositis ossificans is a non-neoplastic proliferation of bone and cartilage within the skeletal muscle at the site of a previous single major trauma or repeated injury and/or hematoma [5].
- Formation of bone tissue inside the muscle due to repetitive trauma or improper healing. Patient may experience pain, stiffness, and a hard lump within the muscle.
- Thighs and arms are the common locations for it.

### What are the Causes of Muscle Injuries?

Muscle injuries occur due to a variety of factors, ranging from physical activity to underlying health conditions. Here's a detailed overview of the most common causes:

### Overuse and Repetitive Motion

- Continuous, repetitive use of the same muscle group without adequate rest can cause microscopic tears, inflammation, and fatigue, leading to overuse injuries. For example, tendonitis ((inflammation of the tendons), Shin Splints (overuse of leg muscles), Tennis Elbow (lateral epicondylitis). Common Activities that cause these injuries are Running, Swimming, Typing or manual labor, Repeated lifting or carrying.

### Sudden or Forceful Movements

- Quick, explosive movements or sudden changes in direction can overstretch or tear muscle fibers, resulting in strains or ruptures. Sprinting or jumping, Pivoting, or turning quickly, throwing sports (e.g., baseball, javelin) can be the reason. Common Injuries are Hamstring strains, Calf strains (e.g., tennis leg), Rotator cuff injuries.

### Poor Warm-Up or Lack of Stretching

- Failing to properly warm up before exercise can leave muscles tight and less elastic, making them more prone to injury. That lead to Decreased blood flow to muscles and Reduced flexibility and range of motion causing muscle strains and ligament sprains.

## Muscle Fatigue

- When muscles are overworked or exhausted, they lose strength and stability, making them susceptible to injury. Causes of Fatigue are Prolonged exercise without breaks, Insufficient recovery time, Dehydration and nutrient depletion further leading to Muscle cramps, Strains, Stress fractures (related to muscle fatigue).

## Improper Technique or Form

- Using incorrect form during physical activity can place undue stress on muscles and joints. For examples Lifting weights with poor posture, running with improper gait, Incorrect throwing or swinging motions in sports. Incorrect body mechanics can cause Lower back strains, Shoulder injuries and Knee injuries.

## Trauma or Impact Injuries

- A direct blow or impact can damage muscle tissue, leading to contusions, tears, or hematomas. Common causes are Sports collisions (e.g., football, rugby), Falls or accidents, Blunt force trauma.

## Dehydration and Electrolyte Imbalances

- Dehydration and a lack of essential minerals (electrolytes) impair muscle function and increase the risk of cramps and spasms.

## Inadequate Conditioning or Fitness Level

- Being out of shape or lacking proper strength and flexibility increases the risk of injury during physical exertion. Common Scenarios are resuming exercise after a long break and engaging in activities beyond fitness level. These could cause muscle strains or DOMS.

## Muscle Imbalances

- When certain muscle groups are stronger or more developed than others, it can lead to compensatory movements and strain weaker muscles. Examples of such muscle imbalances are Overdeveloped quadriceps and weak hamstrings, or Stronger chest muscles compared to back muscles.

## Age-Related Changes

- As people age, muscles lose elasticity, strength, and repair efficiency, making them more prone to injury. Factors that lead to age related changes are Decreased collagen production, Reduced flexibility, Slower healing processes.

## Underlying Medical Conditions

- Certain health conditions can weaken muscles or impair their function, increasing the risk of injury. For examples, Diabetes (affects circulation and healing), Peripheral neuropathy (nerve damage), Myopathies (muscle diseases).

## How does a Muscle Heal?

Muscle healing is a complex process involving several stages. When a muscle is injured, the body initiates a coordinated response to repair the damage and restore function. This process occurs in three main phases: Destruction and Inflammation, Repair and Regeneration, and Remodeling and Maturation. Its main characteristic is the capacity to regenerate after injury independent of the cause of injury through a process called inflammatory response [3]. Understanding these phases allows physical therapists to design targeted interventions that promote efficient and effective recovery. Below, we'll break down each phase in detail.

## Destruction and Inflammation Phase

Duration: 0-7 days post-injury (immediate to early response)  
This phase begins immediately after the injury and is characterized by inflammation and the removal of damaged tissues.

### Initial Injury

- Muscle fibers rupture, causing damage to the myofibrils (contractile units) and blood vessels.
- This leads to bleeding and the formation of a hematoma (localized collection of blood) in the injured area.

### Inflammation Response

- The body's immune system reacts by sending white blood cells to the site.
- Inflammatory cells like neutrophils and macrophages clear away debris and dead tissue.
- Pro-inflammatory cytokines (chemical signals) are released to promote healing.

### Pain and Swelling

- Inflammatory chemicals like histamines increase blood flow and fluid accumulation, causing swelling, redness, and pain.
- Pain helps limit movement to protect the injured area.

### Blood Clot Formation

- Platelets form a clot to stop the bleeding and stabilize the injured tissue.

## Repair and Regeneration Phase

Duration: 4-21 days post-injury (subacute phase)  
The body starts rebuilding the damaged muscle tissue and regenerating muscle fibers.

### Activation of Satellite Cells

- Satellite cells (muscle stem cells) are activated by inflammatory signals.
- These cells multiply and differentiate into myoblasts (immature muscle cells).

### Formation of New Muscle Fibers

- Myoblasts fuse to form myotubes, which develop into new muscle fibers.
- New blood vessels grow into the area to supply nutrients and oxygen (angiogenesis).

### Scar Tissue Formation

- Fibroblasts produce collagen, forming a scar tissue matrix to bridge the gap in the damaged muscle.
- This scar tissue helps stabilize the injury site but is less flexible than healthy muscle.

### Reduction in Inflammation

As repair progresses, inflammatory cells gradually reduce in number.

## Remodeling and Maturation Phase

Duration: 3 weeks to 6 months (or longer) (chronic phase)  
New muscle tissue and scar tissue are strengthened and realigned to restore muscle function.

### Collagen Remodeling

- Collagen fibers in the scar tissue are realigned along the lines of stress (tension) through movement and exercise.
- Scar tissue becomes more organized and stronger.

### Muscle Fiber Maturation

- Myotubes mature into fully functional muscle fibers.
- Muscle fibers gain strength, flexibility, and contractile ability.

### Strengthening and Adaptation

- Progressive loading through rehabilitation exercises helps the muscle adapt and regain pre-injury strength.
- Proper exercise ensures muscle fibers and scar tissue are aligned correctly.

### Restoration of Function

- Muscle strength, flexibility, and endurance improve.
- Full recovery depends on the severity of the injury, rehabilitation quality, and overall health.

### How Physical Therapy Helps Muscle Injuries?

Physical therapy (PT) plays a crucial role in the recovery and rehabilitation of muscle injuries. A trained physical therapist uses evidence-based techniques to facilitate healing, reduce pain, restore mobility, and prevent re-injury. Here's a detailed overview of how physical therapy can help with muscle injuries:

### Pain Reduction

Physical therapists use various techniques to help manage and alleviate pain associated with muscle injuries:

### Manual Therapy

- Techniques like massage, myofascial release, and trigger-point therapy help relieve muscle tension, improve circulation, and reduce pain. Manual therapy is a hands-on treatment approach used by physical therapists to alleviate pain, improve muscle function, and facilitate the healing process. It involves applying controlled pressure, mobilization, and manipulation to the muscles, joints, and soft tissues. Manual therapy can be an effective component of muscle injury rehabilitation due to its ability to address multiple factors that contribute to recovery.

### Modalities

- **Heat Therapy:** Improves blood flow, relieves stiffness, and relaxes tight muscles.
- **Cold Therapy (Cryotherapy):** Reduces inflammation, swelling, and acute pain.
- **Electrical Stimulation (TENS, NMES):** Helps reduce pain signals and improve muscle function.
- **Ultrasound Therapy:** Promotes deep tissue healing and reduces inflammation. Thermal ultrasound is frequently used in rehabilitation sessions to warm tissue after the acute inflammatory phase has passed and is suspected to promote the healing of tissue by increasing local blood flow, increasing oxidative metabolism and inducing protein synthesis. In addition to the thermal effects of ultrasound, acoustic cavitation forces are also thought to impact the biological activity of cells [6-9].

### Inflammation and Swelling Management

- **Compression Techniques:** Helps reduce swelling by preventing fluid buildup.
- **Elevation Exercises:** Encourages fluid drainage to reduce inflammation.
- **Therapeutic Taping (Kinesio Taping):** Provides support, reduces swelling, and improves lymphatic flow.

### Restoring Flexibility and Range of Motion

After an injury, muscles can become stiff, which limits movement. Physical therapists design programs to improve flexibility and joint range of motion:

### Stretching Exercises

- **Static Stretching:** Holding a position to lengthen muscles.
- **Dynamic Stretching:** Controlled movements to improve mobility.
- **PNF Stretching (Proprioceptive Neuromuscular Facilitation):** Combines stretching and muscle contraction for deeper flexibility gains.
- **Joint Mobilization:** Techniques to restore normal joint function if nearby joints are affected by the muscle injury.

### Strengthening Weak Muscles

Muscle injuries often lead to weakness due to disuse or atrophy. Physical therapists create individualized strengthening programs to rebuild muscle strength:

### Resistance Training

- Using weights, resistance bands, or bodyweight exercises to restore muscle strength and endurance gradually.

### Isometric Exercises

- Muscle contractions without movement to build strength without risking further damage.

### Progressive Loading

- Gradually increasing the intensity of exercises to rebuild muscle capacity safely.

### Improving Muscle Coordination and Function

Physical therapists focus on retraining the injured muscle to work efficiently with other muscles and restore proper movement patterns:

- **Neuromuscular Re-education:** Exercises that retrain muscle control and coordination, such as balance and proprioception drills.
- **Functional Movement Training:** Mimicking daily activities or sport-specific movements to ensure smooth and efficient muscle function.

### Scar Tissue Management

Excessive scar tissue can limit flexibility and cause pain. Physical therapists use techniques to minimize its negative effects:

### Soft Tissue Mobilization

- Techniques like deep tissue massage and myofascial release to break down adhesions and improve tissue mobility.

### Stretching and Strengthening

- Helps align the scar tissue along the lines of stress to maintain flexibility and function.

### Skin Rolling

- The skin rolling treatment technique can be applied when skin rolling test results are positive. In this treatment, the therapist mobilizes the stiff tissue and rolls in the direction of the stiffness, typically present in the thorax and lumbar spine. The purpose of this treatment is to make the tissue flexible and mobile. When choosing this technique, the therapist should be cautious in patients who have high pain irritability because this treatment technique may provoke pain [7].

## Preventing Re-Injury

Physical therapy focuses on preventing re-injury through education and exercises:

- **Biomechanical Analysis:** Assessing movement patterns to identify potential weaknesses or imbalances.
- **Ergonomic and Postural Training:** Correcting posture and body mechanics during daily activities or sports.
- **Warm-Up and Cool-Down Routines:** Teaching proper routines to prepare muscles for activity and reduce injury risk.

## Customized Rehabilitation Plans

Every injury is unique. Physical therapists create tailored rehabilitation plans based on:

- **Injury Severity:** Treatment plans are adjusted based on the extent of the muscle damage.
- **Personal Goals:** Whether for daily function, work tasks, or athletic performance, plans are customized to meet individual needs.
- Considering any underlying conditions that may affect healing.

## Biofeedback

- Biofeedback is a powerful tool in muscle rehabilitation, offering real-time insights that help patients regain control over muscle activity, reduce pain, and optimize healing.
- When used in conjunction with physical therapy, biofeedback accelerates recovery, improves muscle function, and helps prevent future injuries.

## Conclusion

Muscle physiology and physical therapy are deeply interconnected disciplines that have significantly evolved to address the challenges of muscle atrophy and injury. Advances in understanding the molecular, cellular, and biomechanical properties of muscles have provided a solid foundation for innovative therapeutic interventions. These developments, combined with cutting-edge technologies and personalized treatment approaches, are

transforming the landscape of rehabilitation and recovery. Also, Advancements in muscle physiology and physical therapy have redefined the standards of care for muscle atrophy and injury, offering patients hope and improved quality of life. As knowledge expands and technology continues to evolve, the potential for optimizing rehabilitation outcomes grows exponentially. Ultimately, a comprehensive and integrative approach that bridges science, technology, and patient-centered care will pave the way for even greater achievements in the field, empowering individuals to overcome physical challenges and achieve their full potential.

## References

1. Frontera WR, Ochala J (2015) Skeletal muscle: a brief review of structure and function. *Calcif Tissue Int* 96: 183-195.
2. Cutlip RG, Baker BA, Hollander M, Ensey J (2009) Injury and adaptive mechanisms in skeletal muscle. *J Electromyogr Kinesiol* 19: 358-372.
3. Souza Jd, Gottfried C (2013) Muscle injury: review of experimental models. *J Electromyogr Kinesiol* 23: 1253-1260.
4. Beiner JM, Jokl P (2001) Muscle contusion injuries: current treatment options. *J Am Acad Orthop Surg* 9: 227-237.
5. Arvinen TA, Järvinen TL, Kääriäinen M, Aärimaa V, Vaittinen S, et al. (2007) Muscle injuries: optimising recovery. *Best Pract Res Clin Rheumatol* 21: 317-331.
6. Michele DE (2022) Mechanisms of skeletal muscle repair and regeneration in health and disease. *FEBS J* 289: 6460-6462.
7. Lifshitz L, Bar Sela S, Gal N, Martin R, Fleitman Klar M (2020) Iliopsoas the Hidden Muscle: Anatomy, Diagnosis, and Treatment. *Curr Sports Med Rep* 19: 235-243.
8. Denegar CR, Saliba E, Saliba SF (2016) Therapeutic modalities for musculoskeletal injuries. 4. Champaign, IL: Human Kinetics.
9. Miller DL, Smith NB, Bailey MR, Gregory J Czarnota, Kullervo Hynynen, et al. (2012) Overview of therapeutic ultrasound applications and safety considerations. *J Ultrasound Med* 31: 623-634.

**Copyright:** ©2022 Shivangi Chaughule. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.